

# De Nardo Elos 75 (382A)



## Ungewünschte Schwermetalle

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		240
Se	0.00 µg/l	0 µg/l	-0.10		240
Cd	0.00 µg/l	0 µg/l	-0.10		240
Sn	0.00 µg/l	0 µg/l	-0.10		240
Sb	0.00 µg/l	0 µg/l	-0.10		240
As	0.00 µg/l	0 µg/l	-0.10		240
Al	94.00 µg/l	2.00 µg/l	92.00		240
Pb	0.00 µg/l	0 µg/l	-0.10		240
Ti	0.00 µg/l	0 µg/l	-0.10		240
Cu	0.00 µg/l	0 µg/l	-0.10		240
La	0.00 µg/l	0 µg/l	-0.10		240
Sc	0.00 µg/l	0 µg/l	-0.10		240
W	0.00 µg/l	0 µg/l	-0.10		240

## Macro-Elemente

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Na	11232.00 mg/l	10700.00 mg/l	532.00		240
Ca	512.00 mg/l	440.00 mg/l	72.00		240
Mg	1341.00 mg/l	1370.00 mg/l	-29.00		240
K	382.00 mg/l	400.00 mg/l	-18.00		240
Br	51.00 mg/l	62.00 mg/l	-11.00		240
B	2.87 mg/l	4.50 mg/l	-1.63		240
Sr	4.93 mg/l	8.00 mg/l	-3.07		240
S	829.00 mg/l	900.00 mg/l	-71.00		240

# De Nardo Elos 75 (382A)



## Li-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Li	182.00 µg/l	200.00 µg/l	-18.00	<div></div>	240
Ni	0.00 µg/l	5.00 µg/l	-5.00	<div></div>	240
Mo	4.54 µg/l	12.00 µg/l	-7.46	<div></div>	240

## I-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
V	0.00 µg/l	1.20 µg/l	-1.20	<div></div>	240
Zn	0.00 µg/l	4.00 µg/l	-4.00	<div></div>	240
Mn	0.00 µg/l	2.00 µg/l	-2.00	<div></div>	240
I	0.00 µg/l	60.00 µg/l	-60.00	<div></div>	240

## Fe-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Cr	0.00 µg/l	0 µg/l	-0.10	<div></div>	240
Co	0.00 µg/l	0 µg/l	-0.10	<div></div>	240
Fe	0.00 µg/l	0 µg/l	-0.10	<div></div>	240

## Ba-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Ba	3.72 µg/l	10.00 µg/l	-6.28	<div></div>	240
Be	0.00 µg/l	0 µg/l	-0.10	<div></div>	240



## Si-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Si	645.00 µg/l	100.00 µg/l	545.00	<div></div>	240

# De Nardo Elos 75 (382A)



## Nährstoff-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
P	3.63 µg/l	6.00 µg/l	-2.37		240
PO4	0.011 mg/l	0.018 mg/l	-0.007		240